ELEVATION CERTIFICATE

~4767

O.M.B. No 3067-0077 Expires May 31, 1993

FEDERAL EMERGENCY MANAGEMENT AGENCY NATIONAL FLOOD INSURANCE PROGRAM

ATTENTION: Use of this certificate does not provide a waiver of the flood insurance purchase requirement. This form is used only to prove the various information necessary to ensure compliance with applicable community floodplain management ordinances, to determine the proper insurance premium rate, and/or to support a request for a Letter of Map Amendment or Revision (LOMA or LOMR).

Instructions for completing this form can be found on the following pages.

SECTION A PROPERTY INFORMATION					FOR INSURANCE COMPANY USE
BUILDING OWNER'S NAME					POLICY NUMBER
STREET ADDRESS (Including Apt., Unit, Suite and/or Bldg. Number) OR P.O. ROUTE AND BOX NUMBER					
369 Gun Club Road, Sp. 67					COMPANY NAIC NUMBER
OTHER DESCRIPTION (Lot and	Block Numbers, etc.)	· , - , -	-6.7		
CITY					
_ Woodland	· · · · · · · · · · · · · · · · · · ·			STATE	ZIP CODE
	SECTION B F	OOD INSURA	NCE RATE MAP (FIRM)	INFORMATION	206/7
rovide the following from the proper FIRM (See Instructions):					
1. COMMUNITY NUMBER	2. PANEL NUMBER	3. SUFFIX	4. DATE OF FIRM INDEX	5. FIRM ZONE	6. BASE FLOOD ELEVATION
530032	0305	Ŋ	9-29-89	A15	(in AO Zones, use depth)
Indicate the elevation datum system used on the FIRM for Base Flood Elevations (BFE): NGVD '29 Other (describe on back). For Zones A or V, where no BFE is provided on the FIRM, and the community has established a BFE for this building site, indicate the community's BFE: feet NGVD (or other FIRM datum—see Section B, Item 7).					
SECTION C BUILDING ELEVATION INFORMATION					
b). FIRM Zones V1-V30, V	NGVD (or other FIR /E, and V (with BFE). s at an elevation of ∟ BFE). The floor used	M datum-see s The bottom o as the referen	Section B, Item 7). f the lowest horizontal stru feet NGVD (or other FIRI ce level from the selected	uctural member of Matum-see Sec	tion B Item 7)
d). FIRM Zone AO. The floone) the highest grade a level) elevated in according to the floorest large and the second secon	oor used as the refere adjacent to the building dance with the comm on system used in de	ence level from ng. If no flood unity's floodpla	the selected diagram is depth number is available in management ordinance	, is the building's e? Yes N	Unknown
the FIRM [see Section B, equation under Comments	t 2). (NOTE: IT the e. Item 7], then conver s on Page 2.)	evation datum t the elevation:	used in measuring the ele s to the datum system use	evations is differe ed on the FIRM ar	_ * * #
Elevation reference mark t	used appears on FIR	M: 🗌 Yes 🔀	No (See Instructions on	Page 4)	
The reference level elevati (NOTE: Use of construction case this certificate will only will be required once consti	on drawings is only va v be valid for the build	alid if the buildi	na does not vet have the i	rafaranaa laval fla	or in place, in which n Elevation Certificate
The elevation of the lowest grade immediately adjacent to the building is: 132.5 feet NGVD (or other FIRM datum-see Section B, Item 7).					
SECTION D COMMUNITY INFORMATION					
f 'ommunity official res he "lowest floor" as a floor" as defined by the ord Date of the start of construc	sponsible for verifying defined in the commu	building eleva nity's floodplair	tions specifies that the ref n management ordinance IVD (or other FIRM datum	erence level indic the elevation of t	the building's "lowest


SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1–A30, AE, AH, A (with BFE),V1–V30,VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features—If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

LICENSE NUMBER (or Affix Seal) CERTIFIER'S NAME PLS 26352 KURT F. COMPANY NAME ENGINEERING OLSON PROJECT MANAGER CITY **ADDRESS** 98660 VANCOUVER PHONE SIGNATURE / Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner. THE ELLERENCE oncy 19ems unoth COMMENTS: WATER THE SEWER DUCTWORK FOR



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones.

Elevations for all A Zones should be measured at the top of the reference level floor.

Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.