U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

National Flood Insurance Program

Important: Read the instructions on pages 1-9.

			SEC.	TION A DRO	PERTY INFORM	IATION	For Insurance Company Use:			
A1 F	Building Owner's Nam	16	350	IION A - PRO	DEKTI INFORM	ATION	Policy Number			
731, 5	A1. Building Owner's Name									
	Building Street Addres lillshire Drive	Company NAIC Number								
C	City Woodland S	tate WA ZIP C	ode 98674							
	Property Description (I I, Hillshire Manor, Vol		ımbers, Tax Parcel N	lumber, Legal I	Description, etc.)					
A5. L A6. A A7. E A8. F a b	Building Use (e.g., Resatitude/Longitude: La Attach at least 2 photo Building Diagram Num For a building with a cr) Square footage of) No. of permanent for enclosure(s) within) Total net area of flood of	t. <u>45° 55' 18.75"</u> graphs of the busher <u>9</u> rawlspace or encorawlspace or erflood openings in 1.0 foot above a cood openings?	Long. <u>-122° 44′ 19.</u> ilding if the Certificat closure(s): nclosure(s) the crawlspace or adjacent grade A8.b	97" e is being used 1693 sq ft 9 2170 sq in	A9. For a l a) So b) No wit c) To d) Er	rance. building with an atta quare footage of atta b. of permanent floo thin 1.0 foot above a tal net area of flood ngineered flood ope	ached garage 501 sq ft d openings in the attached garage adjacent grade 0 openings in A9.b 0 sq in nings?			
		SEC	TION B - FLOOD	NSURANCE	RATE MAP (FIR	M) INFORMATIO	N			
	FIP Community Name z County 530032	& Community N	lumber	B2. County Na Cowlitz	ame		B3. State WA			
B4. N	Map/Panel Number 0285	B5. Suffix D	B6. FIRM Index Date 12/02/01	Effectiv	FIRM Panel re/Revised Date 09/29/89	B8. Flood Zone(s) A15	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 33.0'			
☐ FIS Profile ☐ FIRM ☐ Community Determined ☐ Other (Describe) B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☐ NAVD 1988 ☐ Other (Describe) B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☐ No Designation Date ☐ CBRS ☐ OPA										
	esignation Date	_		☐ CBRS	□ OPA					
	esignation Date	SECTIO	N C - BUILDING I	☐ CBRS	□ OPA					
C1. Bu *A C2. Ele bel Be	ilding elevations are t new Elevation Certific	pased on: cate will be requir A30, AE, AH, A (volutions)	N C - BUILDING I ☐ Construction Dra red when construction with BFE), VE, V1-V specified in Item A7.	CBRS ELEVATION awings* on of the buildingo, V (with BFE	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE datum as the BFE.	SURVEY REQUIF r Construction* E, AR/A1-A30, AR/A	RED) Solve Finished Construction H, AR/AO. Complete Items C2.a-h			
C1. Bu *A C2. Ele bel Be Co	ilding elevations are to new Elevation Certific evations – Zones A1-A low according to the boundark Utilized RM nversion/Comments	pased on: cate will be required. A30, AE, AH, A (vouilding diagram of the cate	N C - BUILDING I ☐ Construction Dragged when construction with BFE), VE, V1-V specified in Item A7. UMD NGVD 1929	CBRS ELEVATION awings* in of the buildin 30, V (with BFE Use the same	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE datum as the BFE.	SURVEY REQUIF r Construction* E, AR/A1-A30, AR/A	RED) If inished Construction If AR/AO, Complete Items C2.a-h ment used.			
C1. Bu *A C2. Ele bel Be	ilding elevations are to new Elevation Certific evations – Zones A1-A low according to the boundark Utilized RM nversion/Comments	pased on: cate will be required. A30, AE, AH, A (voliding diagram of the call between the	N C - BUILDING I ☐ Construction Dra red when construction with BFE), VE, V1-V specified in Item A7.	CBRS ELEVATION awings* in of the buildin 30, V (with BFE Use the same	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE datum as the BFE. T) 32.8 □ fe	SURVEY REQUIF r Construction* E, AR/A1-A30, AR/A	RED) In Finished Construction In AR/AO. Complete Items C2.a-h In the Rico only)			
C1. Bu *A C2. Ele bel Be Co a) b) c)	ilding elevations are to new Elevation Certific evations – Zones A1-A low according to the boundark Utilized RM nversion/Comments Top of bottom floor Top of the next high Bottom of the lowes	pased on: pased	N C - BUILDING I ☐ Construction Dragged when construction with BFE), VE, V1-V specified in Item A7. UMD NGVD 1929	ELEVATION awings* on of the buildings, V (with BFE Use the same	□ OPA INFORMATION (\$ □ Building Unde g is complete. E), AR, AR/A, AR/AE datum as the BFE. 1) 32.8 □ fe. 35.0 □ fe. NA. □ fe.	SURVEY REQUIF r Construction* E, AR/A1-A30, AR/A Check the measure et	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Ito Rico only) Ito Rico only) Ito Rico only)			
C1. Bu *A C2. Elebel Be Co a) b) c) d)	ilding elevations are to new Elevation Certific evations – Zones A1-A low according to the boundark Utilized RM nversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to	pased on: pased	N C - BUILDING I Construction Draged when construction with BFE), VE, V1-V specified in Item A7. MGVD 1929 ment, crawlspace, or ctural member (V Zo	ELEVATION awings* on of the buildings0, V (with BFE Use the same	□ OPA NFORMATION (\$ Building Unde g is complete.	Check the measure et meters (Pue	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Ele bel Be Co a) b) c)	ilding elevations are to new Elevation Certific evations – Zones A1-A low according to the tonchmark Utilized RM nversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of	pased on: pased	N C - BUILDING I ☐ Construction Dra red when construction with BFE), VE, V1-V specified in Item A7. um NGVD 1929 nent, crawlspace, or	ELEVATION awings* on of the buildings0, V (with BFE Use the same	□ OPA NFORMATION (\$ Building Under going complete.	SURVEY REQUIF r Construction* E, AR/A1-A30, AR/A Check the measure et	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Elebel Be Co a) b) c) d)	ilding elevations are to new Elevation Certific evations – Zones A1-A low according to the tonchmark Utilized RM nversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of	pased on: pased	N C - BUILDING I Construction Draged when construction with BFE), VE, V1-V specified in Item A7. MGVD 1929 The construction of the constructio	ELEVATION awings* on of the buildings0, V (with BFE Use the same	□ OPA NFORMATION (\$ Building Under gris complete.	Check the measure et meters (Pue	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Elebel Be Co Co a) b) c) d) e)	ilding elevations are to new Elevation Certific evations – Zones A1-Alow according to the boundark Utilized RM niversion/Comments	cased on: cate will be required. A30, AE, AH, A (validing diagrams) A Vertical Date (including basement floor at horizontal struct op of slab) if machinery or equipment and localished) grade neinished) grade neinished) grade neinished) grade neinished) grade neinished)	N C - BUILDING I Construction Draged when construction with BFE), VE, V1-V specified in Item A7. MGVD 1929 The construction of the constructio	ELEVATION awings* in of the buildin 30, V (with BFE Use the same enclosure floor nes only) e building	□ OPA NFORMATION (S Building Under g is complete. E), AR, AR/A, AR/AE datum as the BFE. S S S S S S S S S	Check the measure et meters (Pue	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Ele bel Be Co a) b) c) d) e) f)	ilding elevations are to new Elevation Certific evations – Zones A1-Alow according to the brochmark Utilized RM niversion/Comments	cased on: cate will be required. A30, AE, AH, A (validing diagram is a vertical Date of the control of the case of	N C - BUILDING I Construction Dra red when construction with BFE), VE, V1-V specified in Item A7. um NGVD 1929 nent, crawlspace, or ctural member (V Zo quipment servicing the cation in Comments) xt to building (LAG) ext to building (HAG) vation of deck or sta	CBRS ELEVATION awings* in of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE datum as the BFE. 1) 32.8 □ fe. 35.0 □ fe. NA. □ fe. 34.5 □ fe. 35.8 □ fe. 31.8 □ fe. 31.8 □ fe. 34.3 □ fe.	Check the measure meters (Pue	RED) Finished Construction H, AR/AO, Complete Items C2.a-h ment used. rto Rico only)			
C1. Bu *A C2. Ele bel Be Co a) b) c) d) e) f) g) h) This ce informa	ilding elevations are to new Elevation Certific evations – Zones A1-Alow according to the boundark Utilized RM niversion/Comments	cased on: cate will be required. A30, AE, AH, A (validing diagrams) A20, Vertical Date (including basement floor at horizontal struct app of slab) a machinery or equipment and local properties of the propertie	N C - BUILDING I Construction Dra red when construction with BFE), VE, V1-V specified in Item A7. um NGVD 1929 The nent, crawlspace, or ctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG) ext to building (HAG) vation of deck or sta DN D - SURVEYOL To ya land surveyor, exthis Certificate repre- punishable by fine of the back of form.	ELEVATION awings* in of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEEI ngineer, or arc sents my best or imprisonment	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. I) 32.8 □ fe 35.0 □ fe 34.5 □ fe 34.5 □ fe 34.3 □ f	Check the measure et meters (Pue et	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Ele bel Be Co (a) (b) (c) (d) (e) (f) (g) (h) This ce information unders (ch)	ilding elevations are to new Elevation Certific evations – Zones A1-Alow according to the brochmark Utilized RM niversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ec Lowest adjacent (fir Highest adjacent (fir Highest adjacent grastructural support ertification is to be signation. I certify that the stand that any false standing to the content of the certification is to be signation. I certify that the stand that any false standing the certification is to be signation. I certify that the certification is to be signation.	cased on: cate will be required. A30, AE, AH, A (volution of diagram of the control of the case of the	N C - BUILDING I Construction Dra red when construction with BFE), VE, V1-V specified in Item A7. um NGVD 1929 The nent, crawlspace, or ctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG) ext to building (HAG) vation of deck or sta DN D - SURVEYOL To ya land surveyor, exthis Certificate repre- punishable by fine of the back of form.	ELEVATION awings* in of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEEI ngineer, or arc sents my best or imprisonment Were latitude a	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. I) 32.8 □ fe 35.0 □ fe 34.5 □ fe 34.5 □ fe 34.3 □ f	Check the measure et meters (Pue et	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Ele bel Be Co (a) (b) (c) (d) (e) (f) (g) (h) This ce information unders (ch)	ilding elevations are to new Elevation Certifice vations – Zones A1-Allow according to the brochmark Utilized RM niversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of extra dijacent (fir Highest adjacent (fir Highest adjacent (fir Lowest adjacent grastructural support entification is to be signation. I certify that the stand that any false streek here if comments er's Name Howard S.	cased on: cate will be required. A30, AE, AH, A (volution of diagram of the control of the case of the	N C - BUILDING I Construction Dra red when construction with BFE), VE, V1-V specified in Item A7. um NGVD 1929 The nent, crawlspace, or ctural member (V Zo quipment servicing the cation in Comments) ext to building (LAG) ext to building (HAG) ext to building (HAG) vation of deck or sta DN D - SURVEYOL To ya land surveyor, exthis Certificate repre- punishable by fine of the back of form.	ELEVATION awings* in of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEE ngineer, or arc sents my best or imprisonment Were latitude a licensed land s	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. I) 32.8 □ fe 35.0 □ fe NA. □ fe 34.5 □ fe 35.8 □ fe 33.9 □ fe 34.3 □ fe CAR, OR ARCHITEC hitect authorized by efforts to interpret the under 18 U.S. Code and longitude in Security of Y License Number S	Check the measure et meters (Pue et	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h ment used. Into Rico only)			
C1. Bu *A C2. Ele bel Be Co a) b) c) d) e) f) g) h) This ce information unders Ch Certifie Title P	ilding elevations are to new Elevation Certifice vations – Zones A1-Allow according to the brochmark Utilized RM niversion/Comments Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of extra dijacent (fir Highest adjacent (fir Highest adjacent (fir Lowest adjacent grastructural support entification is to be signation. I certify that the stand that any false streek here if comments er's Name Howard S.	cased on: cate will be required. A30, AE, AH, A (volution of diagram of the control of the case of the	N C - BUILDING II ☐ Construction Dragged when construction with BFE), VE, V1-V specified in Item A7, um NGVD 1929 Inent, crawlspace, or extural member (V Zo guipment servicing the station in Comments ext to building (LAG) ext to building (HAG) vation of deck or station of deck or station of deck or station in Comments ext to building (HAG) vation of deck or station of deck or station of deck or station in Comments ext to building (HAG) vation of deck or station of deck or station of deck or station in Comments extra to building (HAG) vation of deck or station of deck or sta	ELEVATION awings* in of the building 30, V (with BFE Use the same enclosure floor nes only) e building irs, including R, ENGINEEI ngineer, or arc sents my best er imprisonment Were latitude a licensed land s	□ OPA INFORMATION (S □ Building Unde g is complete. E), AR, AR/A, AR/AE e datum as the BFE. I) 32.8 □ fe 35.0 □ fe NA. □ fe 34.5 □ fe 35.8 □ fe 33.9 □ fe 34.3 □ fe CAR, OR ARCHITEC hitect authorized by efforts to interpret the under 18 U.S. Code and longitude in Security of Y License Number S	Check the measure et meters (Pue et	RED) A Finished Construction H, AR/AO. Complete Items C2.a-h To Rico only)			

IMPORTANT: In these spaces,					e Company Use:	
Building Street Address (including Apt 303 Hillshire Dr.	., Unit, Suite, and/or Bldg. No.)	or P.O. Route and Box	(No.	Policy Number		
City Woodland State WA ZIP Cod	e 98674			Company NA	AIC Number	
SECTION	I D - SURVEYOR, ENGINE	ER, OR ARCHITEC	T CERTIFICATION (C	CONTINUED)		
Copy both sides of this Elevation Cert	ificate for (1) community official,	(2) insurance agent/co	ompany, and (3) building	owner.		
Comments A5 was determined using of a roof pier support located on the w		ified. C2-e is the botto	m of the water heater loo	cated in the garage	. C2- h is to the bottom	
Signature S. T.		Date 01/1			eck here if attachments	
SECTION E - BUILDING ELE	VATION INFORMATION (S	URVEY NOT REQU	JIRED) FOR ZONE A	O AND ZONE A	(WITHOUT BFE)	
For Zones AO and A (without BFE), c and C. For Items E1-E4, use natural E1. Provide elevation information for grade (HAG) and the lowest adjuance and	grade, if available. Check the mean the following and check the appacent grade (LAG). basement, crawlspace, or enclor basement, crawlspace, or enclorermanent flood openings provide of the building is feet d/or equipment servicing the building is available, is the top of	neasurement used. In propriate boxes to sho osure) is	Puerto Rico only, enter row whether the elevation feet meters feet meters seand/or 9 (see pages 8 above or below below the HAG. feet meters	meters. is above or below to above or below to above or below to below the HAG.	the highest adjacent elow the HAG. elow the LAG. the next higher floor the HAG.	
SECTION	F - PROPERTY OWNER (OR OWNER'S REP	RESENTATIVE) CER	RTIFICATION		
The property owner or owner's authori or Zone AO must sign here. <i>The state</i>				FEMA-issued or co	ommunity-issued BFE)	
Property Owner's or Owner's Authorize	ed Representative's Name					
Address		City	State	e ZIP Coo	de	
Signature		Date	Telej	phone		
Comments						
					heck here if attachments	
	SECTION G - COMM	IUNITY INFORMAT	ION (OPTIONAL)			
he local official who is authorized by land G of this Elevation Certificate. Com					ections A, B, C (or E),	
61. ☐ The information in Section C v	vas taken from other documenta elevation information. (Indicate	ation that has been sig	ned and sealed by a lice	ensed surveyor, en		
	d Section E for a building locate				Service 2000	
3. The following information (Iter	ns G4-G9) is provided for comm	nunity floodplain mana	gement purposes.			
G4, Permit Number	G5. Date Permit Issued	G	6. Date Certificate Of Co	ompliance/Occupa	ncy Issued	
7. This permit has been issued for:	☐ New Construction	☐ Substantial Improve	ement			
8. Elevation of as-built lowest floor (in			feet meters (PR) Da	atum		
9. BFE or (in Zone AO) depth of flood	ling at the building site:		feet meters (PR) Da	atum		
10. Community's design flood elevation	n	□	feet meters (PR) Da	atum		
Local Official's Name		Title				
Community Name		Telepho	one			
Signature	Date					
Comments						
					heck here if attachment	

Building Photographs See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 303 Hillshire Drive.	Policy Number
City Woodland State WA ZIP Code 98674	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

FRONT VIEW 01/15/13



REAR VIEW 01/15/13

